



## PRODUCT CATALOGUE

Designers and Manufacturers  
of Streetworks Safety Products

**WHI** SAFE<sup>®</sup>  
GUARD

## **CONTENTS**

<b>T19 - 01 LED String Light</b>	<b>2-3</b>
<b>STACKA Barrier Safety Light</b>	<b>4-5</b>
<b>Traffic Cone Safety Light</b>	<b>6-7</b>
<b>Site Safety Light - Side Mount</b>	<b>8</b>

**PRODUCT CODE**

# T19 - 01 LED STRING LIGHT


**T19 - 10W - 05**  
or  
**T19 - 10W - 10**

**STRONG, DURABLE AND DESIGNED FOR THE MOST CHALLENGING INDUSTRIAL ENVIRONMENTS**

MARKINGS: CE, IP65 / IP67 PLUG & ADAPTOR

**T19 - 10W - 05:** 5 Lights with 15 Metres Cable  
Luminous Flux: 5400 lm / ±10%  
Rated Power: 50 W - (Equal to 40 W Incandescent Bulbs)  
Gross Weight: 2.7 KG

**T19 - 10W - 10:** 10 Lights with 30 Metres Cable  
Luminous Flux: 10800 lm / ±10%  
Rated Power: 100 W (Equal to 80 W Incandescent Bulbs)  
Gross Weight: 4.8 KG




## LINKABLE WITH TWO SIZE OPTIONS

Available in two options, with 5 or 10 lights: the 5 light version has 15 metres of cable, with the 10 light version spanning 30 metres in length. Both rated IP65, meaning that they are fully protected against dust and water ingress. In addition, the T19-01 LED String Light is also manufactured with an IP67 110v plug and adaptor allowing them to be submerged in a metre of water for up to 30 minutes. This provides an efficient, connectable male/female design and allows you to link up to three 10 light strings together, to create up to a 90 metre string from a single 110v power supply.

**IP65/67 Rated** - The highest IP rated industrial festoon/string light on the market.

**Polycarbonate Cover and Lens** - Shatter-resistant, designed with soft rubber lining to wrap and protect the lens.


# T19 - 01 LED STRING LIGHT



WHI Safeguard's strong and durable T19-01 LED String Lights are designed to operate in the most challenging industrial environments. Replacing the traditional incandescent bulb, our T19 range feature highly efficient Samsung 2835 LEDs for maximum lumens

**Long Lasting** - Life expectancy of up to 50,000 hours with a 3-year warranty against manufacturing defects.

**LED Technology** - No more incandescent bulbs - the Samsung 2835 LEDs are brighter and do not break.



**PRODUCT CODE**

# STACKA BARRIER SAFETY LIGHT

**SBLY - 1403.S**

**MANUFACTURED TO RETROFIT ALL TYPES  
OF EXISTING ROADWAY BARRIERS**

MARKINGS: CE / BS EN 12352:2006

## DETAIL

Size: 227mm x 115mm x 80mm

Weight: 332g

Uses: 2 x AA alkaline batteries (not included)

Integrated Photocell with alternate on/off

Flashing, Motion or Steady Settings

Battery Life: 925 Hours Flashing  
325 Hours Steady

Flash Pattern: 60 Per Minute, (single flash)

Duration of Flash: 300 Milliseconds

Sealed against dust and water - IP54

Stainless steel security screws (tool provided)



## DURABLE AND EXTREMELY COST-EFFECTIVE

STACKA Barrier Safety Lights are manufactured to retrofit simply and easily to all types of roadway barriers. Designed with special consideration for high convenience and low maintenance, these safety lights are fully stackable, so barriers can be positioned, collected, and stored with no need to remove the attached lamps. Powered by 2 x AA alkaline batteries, they are extremely cost-effective and continue to shine for up to 3 times longer than the current competition on the market.

## PRODUCT FEATURES

# STACKA BARRIER SAFETY LIGHT

STACKA lights have a robust, durable design, fit to be deployed for all industrial usages. Stainless steel security screws are made to withstand the tests of time, outdoor elements and rough use.

- Robust polycarbonate suitable for industrial applications
- 360 degree polycarbonate lenses for maximum visibility
- Fully compatible with:

**Mergon** - Mergon Barrier (2 Metre / 1 Metre)


**Melba Swintex** - Olympic Barrier / Vision Barrier / Master Barrier / Tuff Barrier / Gate Barrier / Wonder Wall

**Oxford Plastics** - Avalon Barrier

**JSP** - Frontier Barrier / Titan Barrier



**DURABLE AND EXTREMELY COST-EFFECTIVE**



**PRODUCT CODE**

# TRAFFIC CONE SAFETY LIGHT

**CSLY - 1401**

**ROBUST AND SECURE CONE LIGHT, IDEAL FOR URBAN ROADSIDE APPLICATIONS**

MARKINGS: CE / BS EN 12352:2006

## DETAIL

Size: 175mm x 65mm

Weight: 196g

Uses: 2 x AA alkaline batteries (not included)

Integrated Photocell with alternate on/off

Flashing, Motion or Steady Settings

Battery Life: 925 Hours Flashing  
325 Hours Steady

Flash Pattern: 60 Per Minute, (single flash)

Duration of Flash: 300 Milliseconds

Sealed against dust and water - IP54

Security Disk Tool - (not included)



## IMPACT RESISTANT AND COST-EFFECTIVE

Our LED Cone Safety Lights have been designed with special consideration for cost-efficiency and low maintenance; these safety lights come fitted an integrated photocell switch for energy saving during daylight hours.

The 360 degree amber lenses provide maximum visibility for up to 925 Hours, from just two standard AA batteries.

Their durable design will withstand harsh environments and all parts are impact resistant.

\* Featured Images - Starlite Ranger Cone, Starlite Master Cone and Mastercone

## PRODUCT FEATURES

# TRAFFIC CONE SAFETY LIGHT

The Cone Lights are inserted from the top, using a rubber collar for increased grip, to fit entry holes from 28mm up to 46mm in diameter. To secure the light in a tamperproof position there is a security disk which can be fitted from the underside using a magnetic-tipped screw driver.

- Robust polycarbonate suitable for industrial applications
- 360 degree polycarbonate lenses for maximum visibility
- Fully compatible with the majority of traffic cones including:

**Starlite** - Master / Ranger Cones 750mm

**Mastercone** 750mm

**Econe** 750mm



IMPACT RESISTANT AND COST-EFFECTIVE



**PRODUCT CODE****SITE SAFETY LIGHT - SIDE MOUNT****SBLY - 1403**  
**BHYW - 1405**  
**BHYR - 1405****FOR SCAFFOLDING, SKIPS AND  
PEDESTRIAN BARRIERS**

MARKINGS: CE / BS EN 12352:2006

**DETAIL**

Size: 120mm x 118mm x 95mm

Net Weight: 255g

Uses: 2 x AA alkaline batteries (not included)

Integrated Photocell with alternate on/off

Flashing, Motion or Steady Settings

Battery Life: 925 Hours Flashing / 325 Hours Steady

Flash Pattern: 60 Per Minute, (single flash)

Duration of Flash: 300 Milliseconds

Sealed against dust and water - IP54

Security screws (tool provided)

Available in Red, Clear or Amber Lenses

**DURABLE SAFETY LIGHTS FOR SCAFFOLDING AND CONSTRUCTION AREAS**

This right-angled light can be fixed to all types of scaffolding and a variety of construction equipment with its versatile mounting bracket. Remove half the bracket and it can also be screwed or bolted to flat surfaces. The 360 degree lenses provide maximum visibility for up to 925 Hours, from just two standard AA batteries. Their durable design will withstand harsh environments and all parts are impact resistant.



[www.whisafeguard.com](http://www.whisafeguard.com)

Please contact us on:  
T. +44 (0) 1753 325 101  
or : [sales@whisafeguard.com](mailto:sales@whisafeguard.com)

**WHI** SAFE<sup>®</sup>  
GUARD